

aant.	omschrijving	fabrikaat of leverancier	type - of codenummer				form.	inde- of pos.
2	Condensator 100 nF 63V	Siemens	B37449 F6104-S2					C1,
	C2, C3							
1	Condensator 470 nF 63V	Philips	2222 366 15474					C4.
1	Condensator 0,15 μ 630VDC	WIMA	MKS-4					C5.
1	Condensator ^{52=7,5 mm} 1 μ F 63V	WIMA	MKS-3					C6.
1	Elco 4 μ F 63V	Philips	2222 030 38478					C7.
1	Elco 47 μ F 25V	Philips	2222 030 36479					C8.
1	Condensator 0,47 μ F 250V~	Wima	MKS4-R					C9.
1	Condensator 1 nF 63V	Philips	2222 629 08102					C10
9	Diode	div.	1N4148					D1,
	D2, D3, D4, D5, D6, D7, D20, D21							
7	Diode	div.	1N4007					D8.
	D9, D10, D11, D12, D13, D14.							
1	Diode	Philips.	BY249-600					D17
2	DIODE	PHILIPS	BYX42-1200R					D15,16
2	Diac	Philips	BR100/3					D18, D19
1	Zekering 63A traag 5x20mm	div.						F1
1	Zener 12V 400 mW.	Philips	BZX79C12					Z1.
1	Ic	div.	358					IC1.
4	Led 3mm Rood	Philips	CQY54AIII					L1
	L2, L3, L4.							

naam: P.S. opm.

bestemd voor:

datum



EVIC electronica

Vermogensregeling

200323

bladnr. 121 - 01/02

01 5-9-84

04 23-12-87

aant.	omschrijving	fabrikaat of leverancier	type - of codenummer				form.	index of pos.
1	Net Filter 0,1μ 220 E	RiFa	PMR 2026 A/0,1+220					NF 1
4	Opto coupler Oc 2, Oc 3, Oc 4.	AEG	CQ4 80 N					OC1,
1	Potmeter 5k	Piher	Pl 15 NH					P1
1	Potmeter 1M	Piher	Pl 15 NH					P2
1	Relais	Zettler	AZ-732-521-52					RE 1
4	Weerstand SFR 25 560 E	Philips	2322 181 53 561					R1,
	R2, R3, R4.							
4	Weerstand SFR 25 100 E	Philips	2322 181 53 101					R5,
	R6, R22, R25							
2	Weerstand SFR 25 56 E	Philips	2322 181 53 569					R7
	R8.							
2	Weerstand 0,27 E 5W	Vitrohm/Amroh.	58.005. 278					R9,
	R10							
3	Weerstand SFR 25 100k	Philips	2322 181 53 104					R11,
	R29, R30.							
2	Weerstand SFR 25 68k	Philips	2322 181 53 683					R13,
	R14.							
1	Weerstand SFR 25 15k	Philips	2322 181 53 153					R15
2	Weerstand SFR 25 2k2	Philips	2322 181 53 222					R16 R19
1	Weerstand SFR 25 22k	Philips	2322 181 53 223					R17
1	Weerstand SFR 25 330k	Philips	2322 181 53 334					R18
1	Weerstand SFR 25 47k	Philips	2322 181 53 473					R12

naam: P.S. opm.

datum

bestemd voor: 110111195



EVIC electronica

Vermogensregeling

200323

bladnr. 121 - 02/03

01 15-9-84
09 23-12-84

aant.	omschrijving	fabrikaat of leverancier	type - of codenummer				form.	index of pos.
2	Weerstand 8FR25 5k6	Philips	2322 181 53562					R20.
	R31.							
1	Weerstand 8FR25 10k	Philips	2322 181 53103					R21
2	Weerstand 8FR25 47E	Philips	2322 181 53479					R23
	R26							
2	Weerstand 8FR ^{0.5W} 25H 390k	Philips	2322 186 13394					R24,
	R27.							
1	Weerstand 6E825W 5%	Koevoets	GRF 1063					R28
2	Weerstand 18k PR 52	Philips	2322 192 31803					R34, R32
1	Weerstand ^{kodcomp BT104-0} 120E 0.5W	VITRONN/ /AMROH	56.200.121					R33
1	Weerstand 470E 8FR25	Philips	2322 181 53471					R35
2	Aransistor	div.	2N5416					T1,T2.
1	Aransistor	div.	BC237 of BC547 of BC171					T3,
2	Ahyristor	Philips	BT 151-650R					TH3
	TH4.							
2	THYRISTOR	BBC	CS15-08-60 2					TH1.2
1	Ariac	div	2N4991					Th 5.
2	VDR 420V~	PHILIPS	2322 593 64212					V1,V2

naam: <u>PS</u>	opm.	datum
bestemd voor: <u>Konings</u>		<u>01 5-9-84</u>
<u>Vermogensregeling</u>		<u>04 23-12-87</u>
 EVIC electronica		<u>200323</u>
bladnr. <u>121 - 03.</u>		